A study to assess the effect of planned health teaching programme regarding knowledge and practice on household methods of water purification among the mothers of under five children residing at Sangliwadi, Sangli

Sunil M Kulkarni^{1*}, Manisha S Kulkarni²

¹Associate Professor, ²Clinical Instructor, BVDU, CON, Sangli, Maharashtra, India

Corresponding Author: Sunil M Kulkarni

Email: sunilmalharkulkarni@gmail.com

Abstract

Introduction: A Quasi Experimental study was done to assess the effect of planned teaching programme regarding knowledge and practice of household methods of water purification among the mothers of under five children residing at Sangliwadi, Sangli. The objectives of study was to find out the effectiveness of planned teaching programme regarding knowledge and practice on household methods on water purification among the mothers of under five children.

Research Methodology: The research design used was Quasi experimental purposive sampling was used; Sample was selected by interview in the community area of the Sangliwadi. Sample of this study constitute of 30 mothers of under five children residing at Sangliwadi, Sangli. The structured interview schedule and observation checklist was prepared for assessing the knowledge and practice on household methods of water purification among the mothers of under five children. To tool consist of three sections: -Section I: - it included 6 demographic variables, Section II: - Structured interview schedule for assessment of knowledge regarding household methods of water purification and Section III: - includes observation checklist for assessment of practice regarding household methods of water purification. The content validity was determined by 7 experts. The reliability of tool was done by test, re-test method was found to be 0.41. The data collected from 14th Feb 2011 to 18th Feb 2011.

Study Results: Major findings of study were:- Most of the samples of 63.4% are educated till 10th standard. The planned teaching program was effective. There was an association between the education and awareness regarding household methods of water purification.

Conclusion: The teaching on household water purification method health to prevents many water borne diseases to under five children.

Keywords: Knowledge, Practices, Household water purification methods and Mothers of under fives.

Water pollution is a growing hazard in many developing countries due to human activity. Water is an essential factor in the economic, social and cultural development of community. It can eliminate diseases, and improve quality of life

Quasi Experimental study to assess the effect of planned teaching programme regarding knowledge and practice of household methods of water purification among the mothers of under five children residing at Sangliwadi, Sangli.

The objectives of study where

1. To assess the existing knowledge on household methods on water purification among the mothers of under five children.
2. To find out the effectiveness of planned teaching programme regarding knowledge and practice on household methods on water purification among the mothers of under five children.
3. To find out the association between the knowledge and practice of household methods on water

purification and socio-demographic variables as (age, education and occupation) among the mothers of under five children residing at Sangliwadi, Sangli.

As per Imogene Kings Goal Attainment Theory conceptual frame was made which includes knowledge and practice among the mothers of under five children regarding household methods on water purification such as boiling, chemicals disinfection and filters. The research design used included 3 interaction systems

The personal, interpersonal and social system and elements of theory of goal attainment like interaction, perception, communication and transaction. The research design used was Quasi experimental with purposive sampling was used; Sample was selected by interview in the community area of the Sangliwadi. Sample of this study constitute of 30 mothers of under five children residing at Sangliwadi, Sangli. The structured interview schedule and observation checklist was prepared for assessing the knowledge

and practice on household methods of water purification among the mothers of under five children.

To tool consist of three sections

Section I: it included 6 demographic variables (age, education, occupation).

Section II: it consists of 12 items of structured interview schedule for assessment of knowledge regarding household methods of water purification.

Section III: it consists of 10 items which includes observation checklist for assessment of practice regarding household methods of water purification.

The content validity was determined by 7 experts. The reliability of tool was done by test, re-test method was found to be 0.41.

The data collected from 14th Feb 2011 to 18th Feb 2011.

Major findings of study were

50% of mothers of under five children's were from age group of 25 Years one month to 30 years, 30% mothers were from age group of 20 years one month to 25 years and 16.7% mothers were from age group of 30 years one month to 35 years.

Most of the samples of 63.4% are educated till 10th standard, and 16.6% are educated till 12th standard, the graduates were of 20%. There is an association between the education and awareness regarding household methods of water purification.

Table 1: Distribution of knowledge score based on percentage and frequency

S. No	Sample characteristics	Pre test		Post test	
		freq	%	freq	%
1.	Meaning of safe drinking water	19	63.03	30	100
2.	Method of household water purification	29	96.06	30	100
3.	Elements taken of by cloth sieve	22	73.03	30	100
4.	boiling duration of water	20	66.06	28	93.03
5.	Which are not the benefits of boiling water	07	23.03	09	30
6.	Advantages of alum	19	63.03	28	93.03
7.	Disadvantages of alum	19	63.03	28	93.03
8.	A chlorine tab 0.5 gm is dissolved in 20liters of water	08	26.06	21	70
9.	Colour of bleaching powder	18	60	29	96.03
10.	Bleaching powder is stored in cool, dry, dark place	09	30	18	60
11.	Elements taken off by ceramic filter	27	90	20	66.06
12.	Interval to clean the candle	05	16.06	24	80

Above table values shows that there is maximum knowledge regarding boiling & cloth sieve methods for water purification as in pretest it was 29[96.6%] & 22[73%] & later it was 100% in both method. The knowledge of Alum had doubled as from 19[63.3%] to 28 [93.3%]. The mothers had limited knowledge regarding chlorination as -8[26.6%] & knowledge was gained to 70%. There was confusion regarding elements taken off by ceramic filter so the score were -7[-23.4%].

Table 2: Distribution of practice score based on percentage and frequency.

S. No	Sample characteristic	yes		No	
		Freq	%	freq	%
1.	Strains water before boiling	16	53.03	14	46.06
2.	Boils water for 10-20 min	13	43.03	17	56.06
3.	Strains water after boiling	19	63.03	11	36.06
4.	Covers the water after boiling	27	90	03	10
5.	Does taste changes	24	80	06	20
6.	Add chlorine tab in 1 bucket	-	-	30	100
7.	Keeps water for 30 min after chlorination	-	-	30	100
8.	Does taste change	-	-	30	100
9.	Wash hands while using alum	03	10	27	90
10.	Keep alum in water for more than 5 min	10	33.03	20	66.06

The table depicts that the 16(53.3%) of the mothers practice boiling of water but the faulty timing is used by 17(56.6%) of mothers, about 27(90%) mothers cover water after boiling there is no practice of chlorine tablet the mothers used alum for purification but practices are not satisfactory as 10(33.3%) mothers practice use of alum. There is an association between the education and awareness regarding household methods of water purification.

Table 3: Paired Samples 't' Test

		Paired Differences					t	df	Conclusion
		Mean	Std. Deviation	Std. Error Mean	95% Confidence Interval of the Difference				
					Lower	Upper			
Pair 1	Post_and Pre_test score	3.100	1.729	.316	2.454	3.746	9.820	29	Significant

Planned teaching program was effective as 't' calculated value 9.82 was much more than 't' table value.

Discussion

This study results were supported by following research studies. (Reshma, Mamatha S. Pai & Manjula.2016). A descriptive study to assess the knowledge and practice regarding water, sanitation and hygiene among women in selected villages of Udupi district. The study findings revealed that out of 300 subjects, 40% had good knowledge, 42% had average knowledge and 18% had poor knowledge on water, sanitation and hygiene. Findings of the study revealed that majority (75 %) of the subjects followed unsafe practices on water, sanitation and hygiene. Study found that there is significant association between 2 knowledge and age ($\chi^2=4.60$; $p < 0.05$), education ($\chi^2=1.34$; $2 p < 0.05$), occupation ($\chi^2=1.09$; $p < 0.05$), family income per 2 month ($\chi^2=0.9$; $p < 0.05$), information on water, sanitation and hygiene ($\chi^2=1.38$, $p < 0.05$). The study inferred that as knowledge increases practice improves

(Nitinkumar V S Jatinkumar 2019) a. study on knowledge, attitude and practice about purification of household water among 210 individuals of urban area of Patan district. However, married (18.3%) and literate (22.6%) respondents had better knowledge as compared to unmarried (6.7%) and illiterate (8.1%) respondents respectively ($p < 0.05$ in both groups). Most of the respondents (184, 87.6%) showed positive attitude for doing purification of water. Author concluded that well designed health awareness programs should be effectively implemented with active participation of health workers (Rima Kumari Sah1, Prem Kumar Sah2 et.al.2017). Assessment of the knowledge, attitude and practice regarding water, sanitation and hygiene among mothers of under-five children in rural households of Saptari district, Nepal. Out of 420 mothers, majority of participants had

appropriate knowledge (74.8%) and poor knowledge (25.71%) on water, Sanitation and hygiene. 57.14% participants had positive attitude on water, sanitation and hygiene while (42.85%) had negative attitude. Regarding practice, (60%) participants did good practice and (40%) did poor practice. A statistically significant difference in the level of knowledge, attitude and practice of participants was seen according to their educational level at $p < 0.05$. Present study showed that there is a need to spread information on the importance of proper practice on water, sanitation and hygiene

Conclusion

The study results showed that teaching of water purification methods at home was effective, economical and practical approach to prevent so many water borne diseases.

Source of funding

None.

Conflict of interest

None.

References

1. Park. K. Park's textbook of Preventive and Social Medicine. 20th edition, Jabalpur. M/S Banarasidas Bhanot Publication. page. No.625-627.
2. B.T Basvantappa, Text Book of Community Health Nursing. 2nd edition. New Delhi.
3. Japee Brothers Publishers, Page no. 299-300.
4. en.wikipedia.org/wiki/Portable_water_purification
5. www.ciese.org/curriculum/purification/reference.html
6. www.uptodate.com/contents/water-purification-systems-in

7. www.juliantrubin.com/fairprojects/.../waterpurification.html
8. Reshma, Mamtha S, Pal & Manjula. A descriptive study to assess the knowledge and practice regarding water, sanitation and hygiene among women in selected villages of Udupi district. *NUJHS* 2016;6(1):21-28
9. Nitinkumar V S Jatinkumar. A study on knowledge, attitude and practice about purification of household water among 210 individuals of urban area of Patan District. *NJCM* 2019;10 (7) :420-431.
10. Assessment of the knowledge, attitude and practice regarding water, sanitation and hygiene among mothers of under-five children in rural households of Saptari district, Nepal. *AJPHR* 2017;5(5);163-9.

How to cite: Kulkarni SM, Kulkarni MS. A study to assess the effect of planned health teaching programme regarding knowledge and practice on household methods of water purification among the mothers of under five children residing at Sangliwadi, Sangli. *IP J Paediatr Nurs Sci* 2020;3(1):24-7